

L Number	Hits	Search Text	DB	Time stamp
-	1203	(345/55,76,82,84.ccls.) or (368/83.ccls.)	USPAT; US-PGPUB	2002/09/19 17:46
-	375	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)	USPAT; US-PGPUB	2003/08/06 07:01
-	28	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and (dot adj matrix)	USPAT; US-PGPUB	2003/03/11 16:56
-	22	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and redundan\$2	USPAT; US-PGPUB	2002/09/19 18:20
-	37	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and rectif\$4	USPAT; US-PGPUB	2002/09/19 18:08
-	353931	(light adj emit\$4 adj diode) or led	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:19
-	2034	((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:50
-	180	((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and redundan\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:20
-	176	((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and redundan\$2) not (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and redundan\$2) or (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and rectif\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:22
-	37	((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and redundan\$2) not (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and redundan\$2) or (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and rectif\$4))) and (display adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:28
-	139	((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and redundan\$2) not (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and redundan\$2) or (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and rectif\$4))) not (((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and redundan\$2) not (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and redundan\$2) or (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and rectif\$4))) and (display adj device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:30
-	130	((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and redundan\$2) and (driver or (driving adj circuit\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:36
-	16	((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and redundan\$2) and (driver or (driving adj circuit\$2))) and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:36
-	408	((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 09:01
-	223	((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and electrode) and (driver or (driving adj circuit\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:55

-	42	(((((light adj emit\$4 adj diode) or led) and (dot adj matrix) and display) and electrode) and (driver or (driving adj circuit\$2))) and anode and cathode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:51
-	3112	(dot adj matrix) adj3 display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:55
-	160	((dot adj matrix) adj3 display) and anode and cathode and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:52
-	9	((dot adj matrix) adj3 display) and anode and cathode and electrode) and (redundan\$2 or rectif\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:56
-	12313	(matrix adj3 display) and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:55
-	4659	((matrix adj3 display) and electrode ) and (driver or (driving adj circuit\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 19:06
-	439	((matrix adj3 display) and electrode ) and (driver or (driving adj circuit\$2))) and (redundan\$2 or rectif\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:56
-	38	((matrix adj3 display) and electrode ) and (driver or (driving adj circuit\$2))) and (redundan\$2 or rectif\$4)) and (matrix adj2 panel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 18:57
-	67	((dot adj matrix) adj3 display) and anode and cathode and electrode) and (driver or (driving adj circuit\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 19:08
-	67	((dot adj matrix) adj3 display) and anode and cathode and electrode) and (driver or (driving adj circuit\$2))) not (((matrix adj3 display) and electrode ) and (driver or (driving adj circuit\$2))) and (redundan\$2 or rectif\$4)) and (matrix adj2 panel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 19:08
-	349	(light adj emit\$4 adj diode) and ((dot adj matrix) adj3 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 10:06
-	21	((light adj emit\$4 adj diode) and ((dot adj matrix) adj3 display)) and (current adj source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 10:06
-	96839	(light adj emit\$4 adj diode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 09:11

-	10206	(light adj emit\$4 adj diode) and matrix	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 09:11
-	581	((light adj emit\$4 adj diode) and matrix) and (current adj source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 09:12
-	448	((light adj emit\$4 adj diode) and matrix) and (current adj source)) and switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 10:07
-	269	((light adj emit\$4 adj diode) and matrix) and (current adj source)) and switch) and (row or horizontal) and (column or vertical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 09:17
-	1	((light adj emit\$4 adj diode) and matrix) and (current adj source)) and switch) and (row or horizontal) and (column or vertical)) and ((redundant or extra or additional) adj2 (column or vertical))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 09:21
-	375	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)	USPAT; US-PGPUB	2002/09/22 09:42
-	67	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode) ) and (current adj source)	USPAT; US-PGPUB	2002/09/22 09:42
-	39	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode) ) and (current adj source)) not (((light adj emit\$4 adj diode) and matrix) and (current adj source)) and switch) and (row or horizontal) and (column or vertical))	USPAT; US-PGPUB	2002/09/22 09:43
-	39	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode) ) and (current adj source)) not (((light adj emit\$4 adj diode) and matrix) and (current adj source)) and switch) and (row or horizontal) and (column or vertical))) not (((light adj emit\$4 adj diode) and ((dot adj matrix) adj3 display)) and (current adj source))	USPAT; US-PGPUB	2002/09/22 10:04
-	0	masashi near norgawa	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 09:06
-	13647	(texas adj instruments).asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 10:09
-	431	((texas adj instruments).asn.) and (light adj emit\$4 adj diode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 09:08
-	50	((texas adj instruments).asn.) and (light adj emit\$4 adj diode)) and (current adj source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 10:10
-	50	((texas adj instruments).asn.) and (light adj emit\$4 adj diode)) and (current adj source)) not (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode) ) and (current adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/22 10:10
-	31	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and (dot adj matrix)	USPAT; US-PGPUB	2003/03/11 17:06

-	1280	(light adj emit\$4 adj diode) and (dot adj matrix)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:07
-	117	((light adj emit\$4 adj diode) and (dot adj matrix) ) and (voltage adj2 (source or supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:08
-	68	((light adj emit\$4 adj diode) and (dot adj matrix) ) and (voltage adj2 (source or supply))) and discharg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:09
-	62	((light adj emit\$4 adj diode) and (dot adj matrix) ) and (voltage adj2 (source or supply))) and discharg\$3 not (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and (dot adj matrix) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:15
-	55	((light adj emit\$4 adj diode) and (dot adj matrix) ) and (voltage adj2 (source or supply))) not (((light adj emit\$4 adj diode) and (dot adj matrix) ) and (voltage adj2 (source or supply))) and discharg\$3 not (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)) and (dot adj matrix) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:11
-	18220	((light adj emit\$4 adj diode) or led) adj2 display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:54
-	352	((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 09:09
-	206	((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:20
-	0	((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and ((error or erroneous) near3 lighting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:21
-	0	((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and ((error or erroneous) near3 activation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:22
-	128	((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and (error or erroneous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:23
-	18	((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and (error or erroneous)) and (matrix adj2 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:29
-	110	((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and (error or erroneous)) not (((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and (error or erroneous)) and (matrix adj2 display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:26

-	29	(((((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and (matrix adj2 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:32
-	11	(((((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and (matrix adj2 display) not ((((((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and (error or erroneous)) and (matrix adj2 display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:32
-	43	(((((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and (matrix adj2 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:42
-	14	(((((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and (matrix adj2 display)) not ((((((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and discharg\$3) and (matrix adj2 display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:39
-	25	(((((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and (matrix adj2 display)) and buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:42
-	160	(((((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:42
-	76	(((((light adj emit\$4 adj diode) or led) adj2 display) and (voltage adj2 (source or supply)) and (current adj source)) and buffer) and matrix	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:42
-	18914	((light adj emit\$4 adj diode) or led) and display and matrix	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 09:06
-	392	((light adj emit\$4 adj diode) or led) and display and matrix) and (voltage adj2 (source or supply)) and (current adj source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 08:05
-	335	(((((light adj emit\$4 adj diode) or led) and display and matrix) and (voltage adj2 (source or supply)) and (current adj source)) and switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 08:08
-	79	(((((light adj emit\$4 adj diode) or led) and display and matrix) and (voltage adj2 (source or supply)) and (current adj source)) and switch) and ((scan or scanning or row) adj2 (line or electrode)) and ((column or data or signal or address) adj2 (line or electrode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 08:30
-	0	(masashi near nogawa ) and ((light adj emit\$4 adj diode) or led)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 09:06
-	21	masashi near nogawa	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 09:07

-	433	((texas adj instruments).asn.) and (light adj emit\$4 adj diode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 09:09
-	16	((((texas adj instruments).asn.) and (light adj emit\$4 adj diode) ) and (voltage adj2 (source or supply)) and (current adj source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 09:11
-	501	((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode)	USPAT; US-PGPUB	2003/08/06 07:25
-	0	((((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode) ) and ((current adj source) with (cathode near2 (led or (light adj emitting adj diode))))	USPAT; US-PGPUB	2003/08/06 07:25
-	41	((((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode) ) and ((current adj source) with (led or (light adj emitting adj diode))))	USPAT; US-PGPUB	2003/08/06 07:28
-	110916	(light adj emit\$4 adj diode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:55
-	19	((light adj emit\$4 adj diode) ) and ((current adj source) with (cathode near2 (led or (light adj emitting adj diode))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:26
-	4816	((light adj emit\$4 adj diode) ) and (current adj source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:29
-	375	((((light adj emit\$4 adj diode) ) and (current adj source) ) and ((reduc\$3 or prevent\$3 or avoid\$3) near4 (error or erroneous))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:33
-	14	(((((light adj emit\$4 adj diode) ) and (current adj source) ) and ((reduc\$3 or prevent\$3 or avoid\$3) near4 (error or erroneous)))) and (matrix adj4 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:55
-	53	((light adj emit\$4 adj diode) ) and ((reduc\$3 or prevent\$3 or avoid\$3) with (error or erroneous) with activat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:33
-	8	(((((light adj emit\$4 adj diode) ) and ((reduc\$3 or prevent\$3 or avoid\$3) with (error or erroneous) with activat\$3)) and (matrix adj4 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:34
-	213	((((light adj emit\$4 adj diode) ) and (current adj source) ) and (matrix adj4 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:48

-	182	(((light adj emit\$4 adj diode) ) and (current adj source) ) and (matrix adj4 display)) not (((345/55,76,82,84.ccls.) or (368/83.ccls.)) and (light adj emit\$4 adj diode) ) and ((current adj source) with (led or (light adj emitting adj diode)))) or (((light adj emit\$4 adj diode) ) and (current adj source) ) and ((reduc\$3 or prevent\$3 or avoid\$3) near4 (error or erroneous))) and (matrix adj4 display)) or (((light adj emit\$4 adj diode) ) and ((reduc\$3 or prevent\$3 or avoid\$3) with (error or erroneous) with activat\$3)) and (matrix adj4 display)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:53
-	0	masashi near norgawa	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:54
-	13830	texas adj instruments adj incorporated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:55
-	145	(texas adj instruments adj incorporated) and (matrix adj4 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:55
-	27	((texas adj instruments adj incorporated) and (matrix adj4 display)) and (light adj emit\$4 adj diode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 07:55